



## Yuasa Technisches Datenblatt

### Yuasa YBX3056 - YBX3000 SMF Batterien

#### Leistung

Spannung	12V
Kapazität 20 Std (vorgegeben)	36Ah
Kaltstartstrom (A) EN1	330A

#### Abmessungen

Länge	187mm
Breite	135mm
Höhe	227mm

#### Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure	9.3kg
--	-------



#### Gehäuseeigenschaften

Gehäusotyp	JIS B19 + B1
Batteriehälter	B1
Ladezustandsanzeige	✓
Tragegriffe	✓
Entgasung	✓
Deckel Typ	SMF doppelwandige Deckelkonstruktion


#### Technologie

Flammschutz	✓
Technologie	Ca/Ca
Separator	PE
VDA Überroll Test	✓
Ladestrom	3A
Performance Marking	W3-C2-V2-E1


#### Anschlusspol Typ

##### T1/T3


Standard DIN Post



Remove T1 adapter for T3




#### Zellenanordnung



#### Batteriehälter

##### B1



Ausstellungsdatum: 01/10/2019 - E&EO



## Yuasa Technical Data Sheet

### Yuasa YBX3056 - YBX3000 SMF Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	36Ah
Cold Cranking Amps (EN1)	330A

#### Dimensions

Length	187mm
Width	135mm
Height	227mm

#### Weights & Measures

Mean Weight with Acid	9.3kg
-----------------------	-------



#### Container Features

Case Type	JIS B19 + B1
Hold Down	B1
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid


#### Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca
VDA Roll Over Test	PE
Recommended Charge Rate	✓
Performance Marking	3A
	W3-C2-V2-E1


#### Terminal Type

##### T1/T3


Standard DIN Post




Remove T1 adapter for T3



#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 01/10/2019 - E&OE